



TURKISH ACCREDITATION AGENCY

ACCREDITATION CERTIFICATE

As a "Type A" Inspection Body

PGM PROJE GÖZETİM MÜHENDİSLİK VE KALİTE KONTROL HİZMETLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ

Central Address: KISIKLI MAH. ALEMDAĞ CAD. NO:60 B/10- ÜSKÜDAR İstanbul / Türkiye

is accredited in accordance with TS EN ISO/IEC 17020:2012 standard within the scope given in Annex following the assessment conducted by TURKAK.

Accreditation Number : AB-0751-M

Accreditation Date : 12.02.2024

Revision Date / Number : 12.02.2024 / 00

This certificate shall remain in force until **12.02.2028**, subject to continuing compliance with the standard **TS EN ISO/IEC 17020:2012**, related regulations and requirements.

Gülden Banu Müderrisoğlu
Secretary General



Turkish Accreditation Agency (TURKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Agreement (MRA) in the scope of ISO/IEC 17020.

This document has been signed by Gülden Banu Müderrisoğlu with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

 Inspection TS EN ISO/IEC 17020 AB-0751-M	PGM PROJE GÖZETİM MÜHENDİSLİK VE KALİTE KONTROL HİZMETLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ	
	Accreditation Nr: AB-0751-M Revision Nr: 00 Date: 12.02.2024	
	"Type A" Inspection Body	
Address : KISIKLI MAH. ALEMDAĞ CAD. NO:60 B/10- ÜSKÜDAR İstanbul / Türkiye		Phone : +90 216 651 0895 Fax : +90 216 651 0893 Email : arzuaygci@pgminspection.com Website : www.pgminspection.com

Atmospheric Storage Tanks		
Inspection Field	Inspection Type	Standard / Specification
4.A.1. Atmospheric Storage Tanks	4.A. Periodical Control	Regulation on Health and Safety Conditions in the Use of Work Equipment
4.B.1. Atmospheric Storage Tanks	4.B. Design Control	API 650, API 620
4.C.1. Atmospheric Storage Tanks	4.C. Manufacturing and Assembly Process Control	API 650, API 620

This document has been signed by Gülden Banu Müderrisoğlu with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.



PGM PROJE GÖZETİM MÜHENDİSLİK VE KALİTE KONTROL HİZMETLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ

Accreditation Nr: AB-0751-M
Revision Nr: 00 Date: 12.02.2024

Fire protection systems

Inspection Field	Inspection Type	Standard / Specification
5.A.1. Sprinkler Systems	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.2. Fire Water Tank	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.3. Fire Pump Station	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.4. Fire Hydrant System	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.5. Fire Cabinet System	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.9. Portable Fire Extinguisher Placement	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.C.1. Sprinkler Systems	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 12845, NFPA 13,15,25
5.C.2. Fire Water Tank	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 12845, TS EN 671-1/2, NFPA 22
5.C.3. Fire Pump Station	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 12845, NFPA 20
5.C.4. Fire Hydrant System	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 14384, TS EN 12845, TS EN 671-1/2, NFPA Standards NFPA 14, 25
5.C.5. Fire Cabinet System	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 671-1/2, NFPA 25
5.C.9. Portable Fire Extinguisher Placement	5.C. First Inspection	Regulation on Fire Protection of Buildings TSE ISO 11602-2, NFPA 10, TS 862 EN 3, TS EN 1866
5.C.11. Clean Gas Automatic Extinguishing Systems	5.C. First Inspection	Regulation on Fire Protection of Buildings TS EN 15004-1
5.C.13. Dry / Liquid Chemical Automatic Extinguishing Systems	5.C. First Inspection	Regulation on Fire Protection of Buildings NFPA 17, TS EN 15004-1
5.C.14. Emergency Lighting and Guidance Systems	5.C. First Inspection	Regulation on Fire Protection of Buildings NFPA 72, NFPA 170, TS EN 1838, TS EN 50172
5.A.11. Clean Gas Automatic Extinguishing Systems	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.13. Dry / Liquid Chemical Automatic Extinguishing Systems	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings
5.A.14. Emergency Lighting and Guidance Systems	5.A. Periodic Control	Regulation on Health and Safety Conditions in the Use of Work Equipment Regulation on Fire Protection of Buildings

 TÜRKAK Inspection TS EN ISO/IEC 17020 AB-0751-M	PGM PROJE GÖZETİM MÜHENDİSLİK VE KALİTE KONTROL HİZMETLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ Accreditation Nr: AB-0751-M Revision Nr: 00 Date: 12.02.2024
---	---

Process Systems		
Inspection Field	Inspection Type	Standard / Specification
Pipe Lines	Desing Inspection	API 1104, ASME B 31.8, API 570
Piping	Desing Inspection	ASME B 31.1, ASME B.31.3, ASME B 31.4 EN 13480
Metallic Structures	Desing Inspection	AWS D.1.1, AWS D.1.5, EN 1993-1-1 EN 1993-1-2/4/5/6/7/8/9/10/11/12 EN 1993-2, EN 1993-3-1/2, EN 1993-4-1/2/3/5/6 EN 1090-1/2/3/4/5
Metallic Structures	Manufacturing and Assembly Process Inspection	AWS D.1.1, AWS D.1.5, EN 1993-1-1 EN 1993-1-2/4/5/6/7/8/9/10/11/12 EN 1993-2, EN 1993-3-1/2, EN 1993-4-1/2/3/5/6 EN 1090-1/2/3/4/5
Metallic Materials Plates Profiles Pipes Casting Forging Fasteners	Manufacturing and Assembly Process Inspection	API 5L, EN 10216 Series, EN 10217 Series, EN 10219 Series, TS EN 10311, TS EN ISO 3183, ASTM A 106, EN 10204, EN 10025 Series , EN 10028 Series, EN 10224, EN 10222 EN 10216-1, TS EN 10216-2+A1, TS EN 10216-3, TS EN 10216-4, TS EN 10216-5, EN 10217-1, EN 10217-2, EN 10217-3, EN 10217-4, EN 10217-5, EN 10217-6, EN 10217-7, API 5CT, AWS D.1.1, AWS D.1.2, AWS D.1.5, AWS D.1.6 ASME SEC. II A,B,C Series, EN 1031, EN 10204
Permanent Joining Welding	Evaluation of Procedures	TS EN ISO 15609-1, TS EN ISO 15609-2, TS EN ISO 15609-3, TS EN ISO 15609-4, TS EN ISO 15609-5, TS EN ISO 15612, TS EN ISO 15607, TS EN ISO 15614-1, TS EN ISO 15613, ASME SECTION IX ,AWS D.1.1, AWS D.1.5, API 1104, EN 13134, EN ISO 14555
Metallic Materials Plates Profiles Pipes Casting Forging Fasteners	Evaluation of Materials and Certification	EN 10204

This document has been signed by Gülden Banu Müderrisoğlu with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.

 Inspection TS EN ISO/IEC 17020 AB-0751-M	PGM PROJE GÖZETİM MÜHENDİSLİK VE KALİTE KONTROL HİZMETLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ Accreditation Nr: AB-0751-M Revision Nr: 00 Date: 12.02.2024
---	---

Non Destructive Testing

Inspection Field	Inspection Type	Standard / Specification
13. Non-Destructive Evaluation	13.F. Liquid Penetrant Inspection	ASME SEC. V, ASME B.31.1, ASME B.31.3, ASME B.31.8, ASME SEC. VIII API 1104, TS EN ISO 5817, TS EN ISO 3452-1, TS EN ISO 23277, TS EN ISO 17635, EN ISO 10228-2, EN ISO 10893-4, API SL, API 650, AWS D.1.1, AWS D.1.5
13. Non-Destructive Evaluation	13.D. Visual Inspection	ASME SEC. V, ASME B31.1, ASME B31.3, ASME B31.8, ASME SEC. VIII, AWS D 1.5 API 1104, TS EN 5817, TS EN 13018, TS EN ISO 17637 , TS EN ISO 17635, TS EN ISO 10042, API SL, API 650, AWS D.1.1, AWS D.1.5 TS EN ISO 10042 TS EN ISO 5817
13. Non-Destructive Evaluation	13.C. Radiographic Inspection 13.C.V. Evaluation of Radiographic Films RT-FI 13.C.VI. Evaluation of Radiographic Digital Images RT-DI 13.C.VII. Evaluation of Radiographic Films and Digital Images RT-FDI	ASME SEC. V, ASME B 31.1, ASME B31.3, ASME B31.8, ASME SEC. VIII , API 1104, TS EN ISO 17636-1, TS EN ISO 17636-2, TS EN ISO 5817, TS EN ISO 10675-1, TS EN ISO 10675-2, TS EN ISO 10042, TS EN ISO 5579, TS EN 12681-1, TS EN ISO 17635, EN ISO 10675-1, EN ISO 10893-6, EN ISO 10893-7, API SL, API 650, AWS D.1.1, AWS D.1.5
13. Non-Destructive Evaluation	13.E. Magnetic Particle Inspection	ASME SEC. V, ASME B31.1, ASME B31.3, ASME B31.8, ASME SEC. VIII API 1104, TS EN ISO 5817, TS EN ISO 17638, EN ISO 23278, TS EN ISO 17635, EN 1369, EN 10228-1, EN ISO 10893-5, EN ISO 9934-1, API SL, API 650, AWS D.1.1, AWS D.1.5
13. Non-Destructive Evaluation	13.H. Ultrasonic Inspection 13.H.I. TOFD (UT-TOFD) 13.H.II. Phased Array (UT-PA) 13.H.III. Ultrasonic Inspection (UT)	ASME SEC. V, ASME B31.1, ASME B31.3, ASME B31.8, ASME SEC. VIII, API 1104, TS EN ISO 5817, TS EN ISO 11666, TS EN ISO 23279, TS EN ISO 17640, TS EN ISO 10893-1, TS EN ISO 17635, TS EN 12680-1, API SL , API 650, AWS D.1.1, AWS D.1.5

This document has been signed by Gülден Banu Müderrisoğlu with a secure electronic signature in accordance with the electronic signature law numbered 5070. Use the QR code to verify the e-signed document.